

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Name : Polyester filler  
Trade name : FPD FIRST PRIMER DARK

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Use of the substance/mixture : The product is intended for professional use

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

NOVOL Sp. z o.o.

Żabikowska 7/9

62-052 KOMORNIKI

Poland

T 0048618109800 - F 0048618109809

[www.novol.com](http://www.novol.com)

E-mail address of competent person responsible for the SDS : [dokumentacja@novol.com](mailto:dokumentacja@novol.com)

**1.4. Emergency telephone number**

Emergency number : 112

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

|  |       |
|--|-------|
| Flammable liquids, Category 3                                  | H226  |
| Skin corrosion/irritation, Category 2                          | H315  |
| Serious eye damage/eye irritation, Category 2                  | H319  |
| Reproductive toxicity, Category 2                              | H361d |
| Specific target organ toxicity – Repeated exposure, Category 1 | H372  |

Full text of H- and EUH-statements: see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS02

GHS07

GHS08

Signal word (CLP) :

Danger

Contains :

styrene

Hazard statements (CLP) :

H226 - Flammable liquid and vapour.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H361d - Suspected of damaging the unborn child.

H372 - Causes damage to organs (hearing organs) through prolonged or repeated exposure.

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

|                                |   |
|--------------------------------|---|
| Precautionary statements (CLP) | : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P260 - Do not breathe dust, vapours.<br>P271 - Use only outdoors or in a well-ventilated area.<br>P280 - Wear protective gloves, protective clothing, eye protection, face protection.<br>P312 - Call doctor if you feel unwell. |
| EUH-statements                 | : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.   |

### 2.3. Other hazards

Other hazards which do not result in classification : Vapour could form explosive mixture with air. Vapours are heavier than air and spread above ground. Hazardous polymerization may occur if exposed to high temperature.

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name  | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|---|--|---------|---|
| styrene<br>substance with national workplace exposure limit(s)<br>(GB)<br>(Note D)  | CAS-No.: 100-42-5<br>EC-No.: 202-851-5<br>EC Index-No.: 601-026-00-0<br>REACH-no: 01-2119457861-32   | 20 – 30 | Flam. Liq. 3, H226<br>Acute Tox. 4 (Inhalation), H332<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Repr. 2, H361d<br>STOT RE 1, H372 |
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ ]<br>substance with national workplace exposure limit(s)<br>(GB)<br>(Note V)(Note W)(Note 10) | CAS-No.: 13463-67-7<br>EC-No.: 236-675-5<br>EC Index-No.: 022-006-00-2<br>REACH-no: 01-2119489379-17 | < 5     | Carc. 2, H351   |

Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ .

Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Note V : If the substance is to be placed on the market as fibres (with diameter  $< 3 \mu\text{m}$ , length  $> 5 \mu\text{m}$  and aspect ratio  $\geq 3:1$ ) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

Note W : It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

Full text of H- and EUH-statements: see section 16

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : General information. Refer to section 11.   |
| First-aid measures after inhalation   | : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.   |
| First-aid measures after skin contact | : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. If skin irritation continues, consult a doctor. |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.                            |
| First-aid measures after ingestion    | : If swallowed: rinse mouth. Do NOT induce vomiting. Call a physician immediately.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |   |
|-------------------------------------|---|
| Symptoms/effects after inhalation   | : Vapours may cause drowsiness and dizziness.                 |
| Symptoms/effects after skin contact | : Prolonged or repeated contact may cause skin to become dry. |
| Symptoms/effects after eye contact  | : May cause eye irritation.                                   |

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                |   |
|--------------------------------|---|
| Suitable extinguishing media   | : Dry chemical, CO <sub>2</sub> , alcohol-resistant foam or waterspray. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                                      |

#### 5.2. Special hazards arising from the substance or mixture

|  |                                       |
|--|---------------------------------------|
| Hazardous decomposition products in case of fire | : Carbon monoxide. Other toxic gases. |
|--|---------------------------------------|

#### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

|                      |  |
|----------------------|--|
| Protective equipment | : Remove ignition sources. Ensure that there is a suitable ventilation system. Avoid any direct or indirect contact with ingredients released. Avoid contact with skin and eyes. Use personal protective equipment as required. See Section 8. |
|----------------------|--|

##### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. See Section 8. |
|----------------------|---|

#### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter into surface water or drains. Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

#### 6.3. Methods and material for containment and cleaning up

|                 |  |
|-----------------|--|
| For containment | : Cover spill with non combustible material, e.g.: sand, earth, vermiculite. Mechanically recover the product. |
|-----------------|--|

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

### 6.4. Reference to other sections

Disposal considerations. See Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only outdoors or in a well-ventilated area. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| styrene (100-42-5)                            |                                       |
|---|---------------------------------------|
| United Kingdom - Occupational Exposure Limits |                                       |
| Local name                                    | Styrene                               |
| WEL TWA (OEL TWA) [1]                         | 430 mg/m <sup>3</sup>                 |
| WEL TWA (OEL TWA) [2]                         | 100 ppm                               |
| WEL STEL (OEL STEL)                           | 1080 mg/m <sup>3</sup>                |
| WEL STEL (OEL STEL) [ppm]                     | 250 ppm                               |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE |

#### titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)

| United Kingdom - Occupational Exposure Limits |  |
|---|--|
| Local name                                    | Titanium dioxide   |
| WEL TWA (OEL TWA) [1]                         | 4 mg/m <sup>3</sup> respirable<br>10 mg/m <sup>3</sup> total inhalable |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE                                  |

#### 8.1.2. Recommended monitoring procedures

| Monitoring methods |   |
|--------------------|---|
| Monitoring methods | EN 482. Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents. |

#### 8.1.3. Air contaminants formed

No additional information available

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

### 8.1.4. DNEL and PNEC

| <b>styrene (100-42-5)</b>                |                          |
|--|--------------------------|
| <b>DNEL/DMEL (Workers)</b>               |                          |
| Acute - systemic effects, inhalation     | 100 mg/m <sup>3</sup>    |
| Acute - local effects, inhalation        | 100 mg/m <sup>3</sup>    |
| Long-term - systemic effects, inhalation | 100 mg/m <sup>3</sup>    |
| Long-term - local effects, inhalation    | 100 mg/m <sup>3</sup>    |
| <b>DNEL/DMEL (General population)</b>    |                          |
| Acute - systemic effects, inhalation     | 10 mg/m <sup>3</sup>     |
| Acute - local effects, inhalation        | 10 mg/m <sup>3</sup>     |
| Long-term - systemic effects, oral       | 7.7 µg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 1 mg/m <sup>3</sup>      |
| Long-term - local effects, inhalation    | 1 mg/m <sup>3</sup>      |
| <b>PNEC (Water)</b>                      |                          |
| PNEC aqua (freshwater)                   | 0.04 mg/l                |
| PNEC aqua (marine water)                 | 0.04 mg/l                |
| <b>PNEC (Sediment)</b>                   |                          |
| PNEC sediment (freshwater)               | 0.418 mg/kg dwt          |
| PNEC sediment (marine water)             | 0.418 mg/kg dwt          |
| <b>PNEC (Soil)</b>                       |                          |
| PNEC soil                                | 0.146 mg/kg dwt          |

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Hand protection   |                      |                   |                |             |          |
|-------------------|----------------------|-------------------|----------------|-------------|----------|
| Type              | Material             | Permeation        | Thickness (mm) | Penetration | Standard |
| Disposable gloves | Viton® II            | 6 (> 480 minutes) | 0,7 mm         |             | EN 374-3 |
| Disposable gloves | Nitrile rubber (NBR) | 2 (> 30 minutes)  | 0,4 mm         |             | EN 374-3 |

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

| Respiratory protection    |              |           |          |
|---------------------------|--------------|-----------|----------|
| Device                    | Filter type  | Condition | Standard |
| Gas mask with filter type | Filter A1/B1 |           | EN 14387 |

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                                    |
|---|------------------------------------|
| Physical state                                  | : Liquid                           |
| Colour  | : (Read the technical data sheet). |
| Odour   | : characteristic. Sweet.           |
| Odour threshold                                 | : 0.43 mg/m <sup>3</sup> styrene   |
| Melting point                                   | : Not applicable                   |
| Freezing point                                  | : Not available                    |
| Boiling point                                   | : 146 °C                           |
| Flammability                                    | : Not applicable                   |
| Explosive properties                            | : No data available.               |
| Explosive limits                                | : Not available                    |
| Lower explosion limit                           | : 1.1 vol % styrene                |
| Upper explosion limit                           | : 8 vol % styrene                  |
| Flash point                                     | : 30 °C                            |
| Auto-ignition temperature                       | : 490 °C                           |
| Decomposition temperature                       | : Not available                    |
| pH  | : Not available                    |
| Viscosity, kinematic                            | : Not available                    |
| Viscosity, dynamic                              | : 3600 – 6200 mPa.s                |
| Solubility                                      | : Slightly soluble.                |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                    |
| Vapour pressure                                 | : 7.3 hPa styrene                  |
| Vapour pressure at 50°C                         | : Not available                    |
| Density   | : 1.5 – 1.65 g/cm <sup>3</sup>     |
| Relative density                                | : Not available                    |
| Relative vapour density at 20°C                 | : Not available                    |
| Relative density of saturated gas/air mixture   | : 3.6 styrene                      |
| Particle characteristics                        | : Not applicable                   |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Can react violently with alkalis, as well as a lot of organic products such as alcohols and amines. Hazardous polymerization may occur if exposed to high temperature.

### 10.4. Conditions to avoid

Keep away from sources of ignition. Prevent build-up of electrostatic charges (e.g. by grounding). Protect from sunlight. Avoid high temperatures.

### 10.5. Incompatible materials

No contact with: strong acids, strong bases and strong oxidants.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition may produce : Carbon monoxide. Other toxic gases.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| <b>styrene (100-42-5)</b>       |                           |
|---------------------------------|---------------------------|
| LD50 oral rat                   | 5000 mg/kg Source: ECHA   |
| LD50 dermal rat                 | > 2000 mg/kg Source: ECHA |
| LC50 Inhalation - Rat (Vapours) | 11.8 mg/l Source: ECHA    |

| <b>titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)</b> |                          |
|--|--------------------------|
| LC50 Inhalation - Rat (Dust/Mist)  | > 6.82 mg/l Source: ECHA |

Skin corrosion/irritation : Causes skin irritation.

| <b>titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)</b> |                |
|--|----------------|
| pH   | 7 Source: ECHA |

Serious eye damage/irritation : Causes serious eye irritation.

| <b>titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)</b> |                |
|--|----------------|
| pH   | 7 Source: ECHA |

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

| <b>styrene (100-42-5)</b> |                                      |
|---------------------------|--------------------------------------|
| IARC group                | 2B - Possibly carcinogenic to humans |

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| <b>titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)</b> |   |
|--|---|
| IARC group   | 2B - Possibly carcinogenic to humans  |
| Reproductive toxicity  | : Suspected of damaging the unborn child.   |
| STOT-single exposure   | : Not classified (Based on available data, the classification criteria are not met) |
| STOT-repeated exposure   | : Causes damage to organs (hearing organs) through prolonged or repeated exposure.  |

| <b>styrene (100-42-5)</b> |   |
|---------------------------|---|
| STOT-repeated exposure    | Causes damage to organs (hearing organs) through prolonged or repeated exposure.    |
| Aspiration hazard         | : Not classified (Based on available data, the classification criteria are not met) |

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |   |
|---|---|
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified (Based on available data, the classification criteria are not met) |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified (Based on available data, the classification criteria are not met) |
| Not rapidly degradable                                    |   |

| <b>styrene (100-42-5)</b> |                       |
|---------------------------|-----------------------|
| LC50 - Fish [1]           | 10 mg/l Source: ECHA  |
| EC50 - Crustacea [1]      | 4.7 mg/l Source: ECHA |
| EC50 72h - Algae [1]      | 4.9 mg/l Source: ECHA |

| <b>titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)</b> |                        |
|--|------------------------|
| LC50 - Fish [1]  | > 100 mg/l             |
| EC50 72h - Algae [1]   | > 50 mg/l Source: ECHA |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

| <b>styrene (100-42-5)</b>                       |                               |
|---|-------------------------------|
| Partition coefficient n-octanol/water (Log Pow) | 2.95 Source: HSDB, CHemIDplus |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available



# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878




### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

|  |   |
|--|---|
| Regional legislation (waste)               | : Disposal must be done according to official regulations.  |
| Waste treatment methods                    | : Dispose of contents/container in accordance with licensed collector's sorting instructions.   |
| Sewage disposal recommendations            | : Do not discharge into drains.   |
| Product/Packaging disposal recommendations | : This material and its container must be disposed of as hazardous waste. Do not dispose of with domestic waste. After cleaning, recycle or dispose of at an authorised site. |
| Additional information                     | : Flammable vapours may accumulate in the container.  |

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| ADR   | IMDG  | IATA  |
|---|---|---|
| <b>14.1. UN number or ID number</b>   |   |   |
| UN 1866   | UN 1866   | UN 1866   |
| <b>14.2. UN proper shipping name</b>  |   |   |
| RESIN SOLUTION  | RESIN SOLUTION  | Resin solution  |
| <b>Transport document description</b>   |   |   |
| UN 1866 RESIN SOLUTION, 3, III, (D/E)   | UN 1866 RESIN SOLUTION, 3, III (30°C c.c.)  | UN 1866 Resin solution, 3, III  |
| <b>14.3. Transport hazard class(es)</b>   |   |   |
| 3   | 3   | 3   |
|  |  |  |
| <b>14.4. Packing group</b>  |   |   |
| III   | III   | III   |
| <b>14.5. Environmental hazards</b>  |   |   |
| Dangerous for the environment: No   | Dangerous for the environment: No<br>Marine pollutant: No                           | Dangerous for the environment: No   |
| No supplementary information available  |   |   |

#### 14.6. Special precautions for user

##### Overland transport

|  |        |
|--|--------|
| Classification code (ADR)                        | : F1   |
| Limited quantities (ADR)                         | : 5I   |
| Special packing provisions (ADR)                 | : PP1  |
| Mixed packing provisions (ADR)                   | : MP19 |
| Transport category (ADR)                         | : 3    |
| Special provisions for carriage - Packages (ADR) | : V12  |

|                               |       |
|-------------------------------|-------|
| Tunnel restriction code (ADR) | : D/E |
| EAC code                      | : •3Y |

##### Transport by sea

|                                   |            |
|-----------------------------------|------------|
| Special provisions (IMDG)         | : 223, 955 |
| Limited quantities (IMDG)         | : 5 L      |
| Special packing provisions (IMDG) | : PP1      |
| EmS-No. (Fire)                    | : F-E      |

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

EmS-No. (Spillage) : S-E  
Stowage category (IMDG) : A

### Air transport

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes:

SDS EU format according to COMMISSION REGULATION (EU) 2020/878.

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| BLV                         | Biological limit value  |

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| BOD                         | Biochemical oxygen demand (BOD)  |
| COD                         | Chemical oxygen demand (COD)   |
| DMEL                        | Derived Minimal Effect level   |
| DNEL                        | Derived-No Effect Level  |
| EC-No.                      | European Community number  |
| EC50                        | Median effective concentration   |
| EN                          | European Standard  |
| IARC                        | International Agency for Research on Cancer                                  |
| IATA                        | International Air Transport Association                                      |
| IMDG                        | International Maritime Dangerous Goods                                       |
| LC50                        | Median lethal concentration  |
| LD50                        | Median lethal dose   |
| LOAEL                       | Lowest Observed Adverse Effect Level   |
| NOAEC                       | No-Observed Adverse Effect Concentration                                     |
| NOAEL                       | No-Observed Adverse Effect Level   |
| NOEC                        | No-Observed Effect Concentration   |
| OECD                        | Organisation for Economic Co-operation and Development                       |
| OEL                         | Occupational Exposure Limit  |
| PBT                         | Persistent Bioaccumulative Toxic   |
| PNEC                        | Predicted No-Effect Concentration  |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet  |
| STP                         | Sewage treatment plant   |
| ThOD                        | Theoretical oxygen demand (ThOD)   |
| TLM                         | Median Tolerance Limit   |
| VOC                         | Volatile Organic Compounds   |
| CAS-No.                     | Chemical Abstract Service number   |
| N.O.S.                      | Not Otherwise Specified  |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| ED                          | Endocrine disrupting properties  |

Data sources : ECHA (European Chemicals Agency).

Training advice : Handle in accordance with good industrial hygiene and safety procedures.

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| Acute Tox. 4 (Inhalation)           | Acute toxicity (inhal.), Category 4  |
| Carc. 2                             | Carcinogenicity, Category 2  |
| EUH211                              | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2  |
| Flam. Liq. 3                        | Flammable liquids, Category 3  |

# FPD FIRST PRIMER DARK

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| H226                                | Flammable liquid and vapour.                                    |
| H315                                | Causes skin irritation.   |
| H319                                | Causes serious eye irritation.                                  |
| H332                                | Harmful if inhaled.   |
| H351                                | Suspected of causing cancer.                                    |
| H361d                               | Suspected of damaging the unborn child.                         |
| H372                                | Causes damage to organs through prolonged or repeated exposure. |
| Repr. 2                             | Reproductive toxicity, Category 2                               |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                           |
| STOT RE 1                           | Specific target organ toxicity – Repeated exposure, Category 1  |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: |       |                       |
|---|-------|-----------------------|
| Flam. Liq. 3  | H226  | On basis of test data |
| Skin Irrit. 2   | H315  | Calculation method    |
| Eye Irrit. 2  | H319  | Calculation method    |
| Repr. 2   | H361d | Expert judgment       |
| STOT RE 1   | H372  | Calculation method    |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.