



Technical Data Sheet

Date of issue: 02.11.2021,
Date of update: 02.11.2021
Version: 1

CONTROL POWDER

P/N: 91324 (SAP No. 300009845)

Product overview:

The Control Powder helps to detect imperfections present on a sanded surface and to eliminate them at early stages of workpiece processing. The product helps to achieve a perfectly smooth sanded surface, and to sculpt the body part into a shape close to the original geometry. The product is used during sanding of the putty/filler. It helps to reduce the processing time, effort, and costs related to the rework at later stages of painting works. It improves the final result of refinishing process.

Characteristics:

- Large, economy pack of 150 g;
- Convenient, ergonomic applicator: the sponge helps with spare and even spreading of the Control Powder on the surface;
- Does not clog sandpaper;
- Immediately exposes irregularities, scratches, and pinholes;
- Requires no drying time and contains no thinners;
- Free from grease, wax, or silicone;
- Can be applied in dry or wet sanding;
- Does not require masking before use.

Technical data:

	Value
Material type:	powder
Colour:	black
Substance type:	borosilicate glass; iron oxide powder
Applicator material:	rubber foam
Density:	3 g/cm ³
Net weight:	150 g
Quantity in bulk packaging:	12 units

Shelf life; storage and application requirements:

The product will perform best for 2 years from the production date if stored dry. Protect from freezing and moisture.

Notice:

The effectiveness of our systems results from laboratory research and many years of experience. The data contained herein meets the current knowledge about our products and their application potential. We ensure high quality, provided the user follows the instructions and the work is performed in accordance with good workmanship. It is necessary to perform a test application of the product due to its potentially different reaction with different materials. We may not be held liable for defects if the final results were affected by factors beyond our control. NOVOL reserves the right to improve the product and modify the technical requirements, which may entail modification of the specification. This product is not hazardous if used as intended.

NOVOL Sp. z o.o., ul. Żabikowska 7/9, PL62-052 Komorniki, tel. +48 61 810 98 00, novol.com